



COOK

HEE - D

DATE: _____

PROJECT: _____

LOCATION: _____




**Hooded Exhaust Ventilator
Extruded Aluminum Propeller
Roof Mounted/Direct Drive**

DIMENSION DATA

Size	A	B	C	L x W	T Sq.	Material Ga.		Max. Motor Frame	Roof Opening Sq.*	Approx. Ship Wt.
						Base	Hood			
20	27-1/4	2	10	52 x 52	32	14	18	145T	27-1/2	329
24	28-3/4	3	10	59 x 59	36	14	18	184T	31-1/2	392
30	30-1/2	3	10	69 x 69	42	14	18	184T	37-1/2	512
36	33	3	10	80 x 80	48	14	18	215T	43-1/2	668
42	38	3	10	90 x 90	54	14	18	256T	49-1/2	861
48	41-1/2	3	13-1/2	110 x 90	60	14	18	256T	55-1/2	1059
54	44-1/2	3	14-3/4	111 x 109	66	14	18	286T	61-1/2	1118

ALL DIMENSIONS IN INCHES. SHIP WEIGHTS IN POUNDS, LESS MOTOR.
* ROOF OPENING SIZE FOR CURBS SUPPLIED BY COOK ONLY.



STANDARD CONSTRUCTION FEATURES:

Extruded aluminum propeller – Spun steel Venturi/curb cap – Painted steel lower housing – Galvanized steel hood – Birdscreen – Heavy duty steel power assembly – Welded curb cap corners – Propellers are statically and dynamically balanced – Corrosion resistant fasteners.

NOTE:
Size 42-54 requires field assembly of hood.

ACCESSORIES

1. DISCONNECT SWITCH
2. GRAVITY INTAKE DAMPER
3. MOTORIZED INTAKE DAMPER
4. RCG GALVANIZED CURB
5. RCA ALUMINUM CURB
6. ALUMINUM HOOD
7. EPOXY COATING

QTY	MARK	CATALOG NUMBER	FAN INFORMATION			MOTOR INFORMATION					ACCESSORIES									
			CFM	SP	RPM	HP	VOLTS	HZ	PH	TYPE										