

DATE: \_\_\_\_\_

PROJECT: \_\_\_\_\_

LOCATION: \_\_\_\_\_



**Packaged Wall Fan  
Aluminum Propeller  
Direct Drive**


**DIMENSION DATA**

Size	A Sq.	B Sq.*	C Sq.	D*	Wall Opening	Wall Housing Gauge	Approx. Ship Wt.
8	15-1/2	13	10	13-3/4	13-1/4	18 Ga.	53
10	19-1/2	17	14	17-3/4	17-1/4	18 Ga.	65
12	19-1/2	17	14	17-3/4	17-1/4	18 Ga.	76
14	23-1/2	21	18	22-1/4	21-1/4	18 Ga.	82
16	23-1/2	21	18	22-1/4	21-1/4	18 Ga.	95
18	27-1/2	25	22	23-1/4	25-1/4	18 Ga.	120
20	27-1/2	25	22	23-1/4	25-1/4	18 Ga.	139
24	33-1/2	31	27-1/2	27-1/4	31-1/4	18 Ga.	151

ALL DIMENSIONS IN INCHES. SHIP WEIGHTS IN LBS.  
\* B-SQ & D DIMENSIONS ARE TO THE OUTSIDE OF FASTENERS ON WALL HOUSING.

**STANDARD CONSTRUCTION FEATURES:**

Aluminum propeller blades attached to a steel hub - Plated steel motor mount/wire guard - Spun steel Venturi/wall base - Galvanized steel wall housing - Galvanized steel exhaust shutter - 1/2" mesh galvanized screen on inlet - Single phase open-dripproof motor - Corrosion resistant fasteners - Welded wall base corners.



Note: Correct propeller rotation is CCW when viewing from inlet side.

**ACCESSORIES**

- |   |                                   |
|---|-----------------------------------|
| 1. DISCONNECT SWITCH                          | 9. PHENOLIC EPOXY POWDER          |
| 2. DISCONNECT SWITCH PREWIRED                 | 10. PHENOLIC EPOXY POWDER WITH UV |
| 3. DISCONNECT SWITCH PREWIRED IN FLEX CONDUIT | 11. PRIMER COATING                |
| 4. GALVANIZED AUTOMATIC SHUTTER               | 12. FAN SPEED CONTROL             |
| 5. ALUMINUM AUTOMATIC SHUTTER                 | 13. SHUTTER GUARD                 |
| 6. GALVANIZED SHUTTER MOTORIZED               | 14. WEATHER HOOD                  |
| 7. ALUMINUM SHUTTER MOTORIZED                 | 15. SPECIAL                       |
| 8. EPOXY POWDER                               |                                   |

NOTE: MOUNTING ANGLE IS 2 PIECES, SHIPPED LOOSE

QTY	MARK	CATALOG NUMBER	FAN INFORMATION			MOTOR INFORMATION					ACCESSORIES	
			CFM	SP	RPM	HP	VOLTS	HZ	PH	TYPE		

MOTOR TYPE: ODP (OPEN DRIP-PROOF).